

SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier CHEM FLUX B

Other means of identification | CHEM FLUX; CHEM FLUX PART B

Recommended use and restrictions on use Floor Coating

Initial supplier identifier CHEMTEC; 4117 Industriel; Laval; Québec; Canada; H7L 6B9 info@epoxychemtec.com

T 450-629-1717

Emergency telephone number/restriction on use | Canada – CANUTEC 24-hour number 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Acute toxicity oral (Category 4)

Acute toxicity dermal (Category 4)

Acute toxicity inhalation (Category 4)

Skin corrosion (Category 1)

Serious eve damage (Category 1)

Skin sensitization (Category 1)

Specific target organ toxicity – Single exposure (Category 3)

Hazardous to the aquatic environment - Acute & Chronic (Category 1 & 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)







Danger

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life

H410 Toxic to aquatic life with long lasting effects.

P260 Do not breathe dusts or mists. P264 Wash hands/nails/face thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P312 Call a doctor if you feel unwell. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P363 Wash contaminated clothing before reuse. P332 + P313 IF SKIN irritation or rash occurs: Get medical attention. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P310 Immediately call a doctor. P391 Collect spillage. P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/information on ingredients				
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)		
Polyoxypropylene diamine	9046-10-0	30-60		
Benzyl alcohol	100-51-6	< 5		
Isophorone diamine	2855-13-2	< 5		
Styrenated phenol	61788-44-1	10-30		
Cyclohex-1,2-ylendiamine	694-83-7	< 5		

^{*} Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



Section 4. First-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is		
	rapidly losing consciousness or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses		
	of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off		
	contaminated clothing and wash it before reuse.		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20). Remove contact lenses, if present and easy to do. Continue		
	rinsing. If eye irritation persists: Get medical attention.		
Most important symptoms and effects (acute or delayed) Causes severe skin burns and eye damage.		Causes severe skin burns and eye damage.	
Indication of immediate medical attention/special treatment In all cases, call a doctor. Do not forget this document.		In all cases, call a doctor. Do not forget this document.	

Section 5. Fire-fighting measures

Specific hazards of the hazardous product (hazardous combustion products)

Carbon oxides and other irritant/toxic gases and fumes.

Suitable and unsuitable extinguishing media

In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.

Special protective equipment and precautions for fire-fighters

During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.

Section 6. Accidental release measures

Personal precautions, protective equipment, and emergency procedures

Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).

Methods and materials for containment and cleaning up

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks, and flame. Avoid generating high concentrations of dusts, vapours, or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink, or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.



Section 9. Physical and chemical properties				
Appearance, physical state/colour Clear liquid	Vapour pressure Not available			
Odour Characteristic	Vapour density Not available			
Odour threshold Not available	Relative density 1 (20°C)			
pH Not available	Solubility Not available			
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available			
Initial boiling point/range Not available	Auto-ignition temperature Not available			
Flash point Not available	Decomposition temperature Not available			
Evaporation rate Not available	Viscosity 150-180cPs (20°C)			
Flammability (solids and gases) Not available VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known			
Section 10. Stability and reactivity				
Reactivity				
Does not react under the recommended storage and handling conditions are	seribad			

Does not react under the recommended storage and handling conditions prescribed.

Chemical stability

Stable under the recommended storage and handling conditions prescribed.

Possibility of hazardous reactions

None known

Conditions to avoid (static discharge, shock, or vibration)

None known

Incompatible materials

Oxidizing materials; Acids; etc.

Hazardous decomposition products

None known

Section 11. Toxicological information

Information on the likely routes of exposure (inhalation, ingestion, skin, and eye contact)

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Harmful if inhaled. May cause respiratory irritation.

Symptoms related to the physical, chemical, and toxicological characteristics

Skin burn, redness, stinging, pain; Eye burn, redness, tearing; Digestive tract burn; Respiratory tract burn, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.

Delayed and immediate effects (chronic effects from short-term and long-term exposure)

Skin Sensitization - Possible; Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No data available; Carcinogenicity - No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure - Possible; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - No data available; Health Hazards Not Otherwise Classified - No data available.

Numerical measures of toxicity (ATE; LD₅₀ & LC₅₀)

CAS 9046-10-0 LD₅₀, Oral- Rat – 2885.3 mg/kg; LC₅₀, Inhalation - Rat - 8h > 0.74 mg/l; LD₅₀, Dermal- Rabbit - 2980 mg/kg; CAS 2855-13-2 LD₅₀, Oral - Rat 1030 mg/kg; CAS 100-51-6 LD₅₀, Oral - Rat 1360 mg/kg; CAS 694-83-7 LD₅₀, Oral- Rat - 1170 mg/kg; LD₅₀ Dermal- Rabbit -1870 mg/kg; CAS 61788-44-1 LD₅₀, Oral- Rat – 2500 mg/kg;

ATE not available in this document.

Section 12. Ecological information **Ecotoxicity (aquatic and terrestrial information)** No data available for the product Persistence and degradability No data available Bioaccumulative potential No data available **Mobility in soil** No data available Other adverse effects Very toxic to aquatic life. Toxic to aquatic life with long lasting effects. **Section 13. Disposal considerations**

Information on safe handling for disposal/methods of disposal/contaminated packaging

Dispose of contents/container into safe container in accordance with local, regional, or national regulations.

Section 14. Transport information

UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Polyoxypropylene diamine; Styrenated phenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Polyoxypropylene diamine; Styrenated phenol); CLASS 8; PG III

UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)

UN3267; CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Polyoxypropylene diamine; Styrenated phenol); CLASS 8; PG III

Special precautions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.

Environmental hazards (IMDG or other) MARINE POLLUTANT

Bulk transport (usually more than 450 L in capacity) Possible



	Section 15. Regulatory information				
Safety/health C	anadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance			
	with the hazard criteria of the Hazardous Products Regulations (HPR).				
Environmental Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/ei	Safety/health/environmental outside regulations specifics				
		regulated according to OSHA (29 CFR).			
		ency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.			
United States TO	United States TCSA information: Refer to the ingredients listed in Section 3.				
		Section 16. Other information			
Date of the late	st revision of the safety data she	eet March 29, 2022, version1			
Corrections					
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.				
Abbreviations					
ACGIH	American Conference of Governmental Industrial Hygienists				
ATE	Acute toxicity estimate				
CAS	Chemical Abstract Service				
DSL	Domestic Substance List				
IARC	International Agency for Research on Cancer				
IATA	International Air Transport Association				
IMDG	International Maritime Dangerous Goods Code				
LC	Lethal concentration				
LD	Lethal Dosage				
NIOSH	National Institute for Occupational Safety and Health				
NTP	National Toxicology Program (U.S.A.)				
OSHA	Occupational Safety and Health Administration (U.S.A.)				
PEL	Permissible Exposure Limit				
STEL	Short-term Exposure Limit				
TDG	Transport of dangerous goods in	n Canada			
TLV	Threshold Limit Value				
TSCA	Toxic Substances Control Act				
TWA	Time Weighted Average				
WHMIS	Workplace Hazardous Materials Information System				

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.